

**1. IDENTIFICATION**

**Material / Version:** 2869436 / 1  
**Description:** PUMP\_S500\_O-PL@white\_1,5%

**3. BASIC**

**Specification:** 674877  
**Description:** Triggers,-sprayer\_other-plastics\_83,0x33,4x56,0MM\_20g\_  
**Standard size:** S500

**Main packaging materials:**

**Material:** Plastic  
**DMS No.:** PAI 259027 000 00 Material Component Breakdown

**General Data Pump**

Description	trigger pump
Neck standard	screw-on
Output	0,95 ml

Weights	Target	Tolerance	Parameter
Weight	20 g		
Remark	Dip tube length: 190 mm		

Main measures	Length	Width	Height
Outer dimensions	83 mm	33,4 mm	56 mm
Neck	33,4 mm		
Technical drawing	VPZ 203840 000 00 Trigger APTP		
Remark	Neck 28-410		

**Fractions**

Body	Target	Tolerance	Parameter
Material	PP		

Valve	Target	Tolerance	Parameter
Material	PE		
Remark	PE+PP		

Piston	Target	Tolerance	Parameter
Material	PE		

Spring	Target	Tolerance	Parameter
Material	PP		

Trigger	Target	Tolerance	Parameter
Material	PP		
Identification Name	QCP300P IVORY 48% / MOPLEN HP		
Producer	LYONDELLBASELL		
Percentage of composition	48 %		

Nozzle	Target	Tolerance	Parameter
Material	PP		
Identification Name	QCP300P IVORY		
Producer	LYONDELLBASELL		
Percentage of composition	96 %		

Closure	Target	Tolerance	Parameter
Material	PP		
Identification Name	QCP300P IVORY		
Producer	LYONDELLBASELL		
Percentage of composition	96 %		

spray head	Target	Tolerance	Parameter
Material	PP		
Identification Name	QCP300P IVORY		
Producer	LYONDELLBASELL		
Percentage of composition	96 %		

Dip tube	Target	Tolerance	Parameter
Material	PP		

Further technical information	
DMS No.	ITP 59 000 06 Leakage Test

Failure Criteria List	
DMS No.	FCL 9748 000 03 FCL 9748 Spray Pumps

#### 4. VARIABLE

Packaging manager  
IPAS Basic Specification No.  
Colour of appearance

Dwitya Prasasta Umaritomo  
674877  
white

++Confidential++

